

Dolomite Powder

Ca22%-Mg8+TE>500 Cu, Na, B, Fe

Application Rate

Apply at anytime of year at 200 - 300g/m², and repeat every three to four months. (one adult's handful contains 80 - 90grams)

Warning

Do not apply to acid loving plants.

Do not leave on hard surfaces as it causes stains. In case of an accident, just wash it off the surface as soon as possible.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Wear gloves to avoid contact with skin. Avoid contact with eyes. If contact occurs, flush eyes with water immediately for 15 minutes. If swallowed, rinse mouth with water and give water to drink. Seek medical advice.

Carbolime is a super high concentrated Agricultural Lime WITH **TRACE ELEMENTS (TE)** that is easy to use and is ideal when a quick soil pH change is needed for agricultural, pasture, turf, horticulture, erosion control and land reclamation applications.

Application Rate:

Top Up / Maintenance: 5Kg/ha (by duster, manual—wear dust mask and goggles)

Average Soil : 10 - 15kg/ha (by duster, manual—wear dust mask and goggles)

Poor Soil: 15 - 20 kg / ha (by duster, manual—wear dust mask and goggles)

Spray / Ferigation : Mixing 1 to 10 (1 part carbolime and 10 parts water)

Aerial Application: 1:2 as liquid application.

Compatibility: May be tank mixed with most commonly used agro chemicals. Do a jar test first.

BENIFITS

- Improves root development
- Enhances microbial activity
- Increases the transport of minerals
- Improves soil structure
- Acts as a secondary messenger
- Improves plant health and disease resistance
- Is required for cell walls (pectin)
- Enhances the rate of protein synthesis

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

Ingestion: DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Skin Contact: In case of contact, wipe off excess material from skin then immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician immediately.

Eye Contact: Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician immediately.



Group Limited

194 Bruntwood Rd, RD1. Cambridge.
P O Box 7071, Hamilton East. Hamilton.
0800 77 55 11 - Fax 0064 7 839 6365
www.mybsl.co.nz