

EnMag

KEEP OUT OF REACH OF CHILDREN

Liquid Fertiliser

Minimum Analysis w/v
 Nitrogen (N) 4.5
 Magnesium (N) 4.5
 TE >200ppm B, Zn, Cu, Na, Co, Mo and Fe

Nitrogen (N) and Magnesium (Mg) are component of proteins, hormones, chlorophyll, vitamins and enzymes essential for plant life. They are necessary for functioning of plant enzymes to produce carbohydrates, sugars and fats. It is used for fruit and nut formation.



1	Soil / Ground	All Crops including Pasture, Horticulture and Field Crops: 10-20L/ha, mix with minimum 200L water. Apply after grazing or pre planting.
2	Foliar	Established Crop: Fruits, Vegetables, Ornamentals, Nurseries and Turfs: Mix 1L per 100L of water. Seedlings and Pot plants: Mix with 300 mls per 100L of water. Spray or apply with water can. Repeat at 7-10 days interval.
3	Glass Houses Hydroponic Fertigation	Call 0800 77 55 11
4	Aerial	10 - 20L/ha mixing ration 1 part of Enmag and 2 parts of water.
5	Compatibility	Compatible with wide range of commonly used pesticides. Do jar test first.
6	With Holding Period (WHP)	2 days or 10 mm rain.
7	Shake / Mix Well before use	No
8	Warning	Keep out reach of children and keep safe from freezing and sunlight.
9	First Aid Measures	Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately. Ingestion: Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician immediately. Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician, immediately. Wash clothing before reuse. Eye Contact: Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician immediately.
10	Storage	Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Separate from combustible, organic, or any other readily oxidizable materials. Do not store on wooden floors. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.



Formulated By: BSL. 194 Bruntwood Rd, RD1. Cambridge.
 0800 77 55 11.
 P O Box 7071 Hamilton East. Hamilton.
 www.mybsl.co.nz

DOM Dec 2014	Batch No STD40	Size 20L 200L 1000L
------------------------	--------------------------	-------------------------------------