

KEEP OUT OF REACH OF CHILDREN

# Hical



A total blend 850g/L of Calcium and Nitrate Nitrogen. Contains 160g/L of elemental calcium with 150g/L elemental Nitrate Nitrogen plus TE 100-200 ppm ( Mg , B, Zn, Mn, Cu, Fe). Also contains surfactant.

*A readily available calcium and nitrogen for pipfruits, vegetables, vines, Kiwifruit ornamentals and many other crops.*

#### **Pipfruit - Seasonal Application**

Early Season: Total 3-4 applications at the rate of 10L/ha, repeat after 7-10 days.

Mid season: Total 2 applications at the rate of 10 –12L/ha, repeat after 10 –14 days.

Late Season: Total 3 applications at the rate of 10L/ha, repeat after 7-10 days.

**Kiwifruit:** 3-5L/ha. Apply at the end of flowering stage, repeat after 10 –14 days.

**Vegetables and Vines:** 3-5L/ha. Apply at the end of flowering stage, repeat after 10 –14 days.

**Ornamentals:** 1-2L/ha. mix minimum with 200L water, repeat after 10 –14 days.

**Fertigation:** Apply 10-20L/ha. More than 20L/ha, recommended amount of product in split applications one to two weeks apart throughout the growing season.

**Other crops:** Contact to our field representative or ring 0800 77 55 11

**Compatibility:** May be tank mixed with most commonly used agro chemicals. Please do jar test first.

**Withholding Period:** 5 days or 5mm rain .BUT Please leave crop for 5-7 days.

#### **WARNING:**

#### **Handling and Storage**

Store between 40-95° F. Avoid direct heat or fire. Decomposition may occur at high temperatures (above 225° F.). Do not freeze! Keep out of reach of children. Harmful if swallowed. Avoid inhalation, eye contact, or ingestion. Avoid prolonged or repeated contact with skin which may cause irritation. Wash thoroughly after handling.



**BSL**

**194 Bruntwood Rd, RD1, Cambridge**

**0800 77 55 11**

**P O Box 7071 Hamilton East, Hamilton.**

**www.mybsl.co.nz**

Group Limited