

KEEP OUT OF REACH OF CHILDREN

LimeSul-TE

Ca 20% and Sulfur 5%+ >500ppm Na, Cu, B,Fe as suspension liquid fertilizer

Extra mix with 1%N -1%Mg and ppm amino acid, humic acid, fulvic acid

for Agriculture and Horticulture crops.

WARNING:

Apply at late dormant stage.

Apply up to 14 days post bud break.

Do not apply if temperature exceeds 22°C.

For pasture: apply 10-20L/ha mix with minimum 100L water

APPLICATION RATE:

Foliar Application: Apply 5L/ha mix with 100 Ltr of water or 50mls/L.

Compatibility

LimeSul cannot be mixed with pesticides, but winter oils is compatible.

If you want to mix with agro chemicals , do jar test first

Caution

Avoid contact with skin and eyes and inhalation of spray mist. Wear gloves and protective clothing.

May be harmful if swallowed. Avoid contact with eyes and mucous membrane.

If swallowed give several glasses of water and call a physician immediately.

If splashed in eyes, flush with plenty of cold water for at least 15 minutes. If

irritation persists obtain medical attention.

BENEFITS

- An essential part of plant cell wall structure, provides for normal transport and retention of other elements as well as strength in the plant.
- Controls soil acidity.
- Makes plant food for production of protein.
- Promotes activity and development of enzymes and vitamins.
- Helps in chlorophyll formation.
- Improves root growth and seed production.
- Helps with vigorous plant growth and resistance to cold.
- Prevents scale insects and fungi infestation.



194 Bruntwood Rd, RD1. Cambridge.

P O Box 7071, Hamilton East.

Hamilton.

0800 77 55 11 - Fax 0064 7 839 6365

www.mybsl.co.nz

Group Limited

Distributor