




KEEP OUT REACH OF CHILDREN

# Bordx Mix



BordxMix is an old and reliable fungicide that effectively prevents various fungus diseases of flowers, ornamentals, trees and fruit.

#### Preparation of 1% solution.

1. Dissolve 1kg of copper sulfate in 100 litres of water in a plastic bucket.
2. Dissolve 1kg of calcium hydroxide in 100 litres of water separately in a plastic bucket.
3. Pour copper sulfate into a calcium hydroxide water slowly with constant stirring using a wooden stick.

If the prepared mixture is in the acidic range, it can be brought to neutral or near alkaline condition by adding some more calcium hydroxide solution into the mixture. Bordx Mix should be sprayed while fresh. Do not store it on standing it loses its fungicidal properties. Spray when new leaves are ¼" long. Prune heavily to remove diseased parts.

However, the mixture may be stabilized by adding sugar at the rate of 1kg in 100 litre of mixture. Stabilized will not deteriorate for three to five days.

#### Precaution

- (i) the solution should be prepared in earthen or wooden or plastic vessels. Avoid using metal containers for the preparation, as it is corrosive to metallic vessels.
- (ii) Always copper sulfate solution should be added to lime solution, reverse the addition leads to precipitation of copper and resulted suspension is least toxic.

#### Merits

1. a natural adhesiveness or tenacity
2. relative cheaper
3. controls a wide variety of diseases
4. safe to handle

#### Demerits

1. Phototoxic on certain crops like apple and peaches
2. Delay the ripening
3. Corroding action on metallic container

**Batch No:**  
**Nett wt:**

Marketed By: BSL 194 Bruntwood Rd, RD1. Cambridge. P O Box 7071, Hamilton East. Hamilton. 0800 77 55 11 - Fax 0064 7 839 6365 - [www.mybsl.co.nz](http://www.mybsl.co.nz)