

CalSulfur

Liquid Fertiliser

Mix Well Before Use

Calcium as Calcium Hydroxide 75 g/litre and Sulphur as Elemental Sulphur 150g/litre

BENEFITS

- **Improves Calcium and Sulphur deficiency in the plant**
- **Prevents some fungal diseases, insects and mites in a range of horticultural crops**

DIRECTIONS FOR USE

GRAPES: Apply 7 litres per 100 litres of water (70mL per litre). Apply during dormancy. Do not apply an oil spray within 7 days of treatment.

KIWIFRUIT: Apply 3.5 litres per 100 litres of water (35mL per litre). Apply during late dormancy up to 2 weeks prior to bud burst. Avoid applications at or after bud burst as phytotoxicity may occur.

PEACHES: Apply 500mL per 100 litres of water (5mL per litre). Apply from 3 weeks after petal fall to 4 weeks from harvest. Add 200g/litre colloidal sulphur. Use alternative fungicides over petal fall and pre-harvest.

PIPFRUIT: Apply 7 litres per 100 litres of water (70mL per litre). Apply during dormancy. Do not apply an oil spray within 7 days of treatment.

PIPFRUIT: Apply 0.5 - 3 litres per 100 litres of water (5 - 30 mL per litre). Apply at any time up to harvest. Note: Application may result in reduced fruit quality such as russet, lower yield, leaf damage and loss of vigour. This is particularly the case with susceptible varieties such as Braeburn. Do not use oil in conjunction with lime sulphur, or an oil spray within 14 days of treatment.

TIME OF APPLICATION

Applications made outside the dormant period may result in leaf scorch, burning, leaf drop or fruit russett.

APPLICATION METHODS

Use conventional high volume spray equipment and ensure complete coverage of the target crop.

MIXING

CalSulfur mixes readily with water. Pour the correct quantity into the partly filled spray tank then add the remaining water while agitating. The spray mixture should be kept agitated before and during spraying and before spraying after stoppage.

COMPATIBILITY

CalSulfur is alkaline. It cannot be mixed with many fungicides, insecticides and oils. **DO JAR TEST FIRST.**

RAINFALL

Application should not be made if rain is expected within 6 hours of application.

WITHHOLDING PERIOD

No limits. Avoid excessive visible deposits on crops.

Caution

Avoid contact with skin and eyes and inhalation of spray mist. Wear gloves and protective clothing.

May be harmful if swallowed. Avoid contact with eyes and mucous membrane. If swallowed give several glasses of water and call a physician immediately.

If splashed in eyes, flush with plenty of cold water for at least 15 minutes. If irritation persists obtain medical attention.



Group Limited

Call Free 0800 77 55 11

Fax 0064 7 839 6365 - Cell 027 68 64 64 2

Phone Int: 0064 7 839 6363 - 0064 7 827 7475

Site: 194 Bruntwood Rd. Cambridge. New Zealand

P O Box 7071. Hamilton East. Hamilton. New Zealand

www.mybsl.co.nz