

KEEP OUT OF REACH OF CHILDREN

K Sul

Water Soluble Fertiliser

Potassium (K₂O) 49 - 50% w/w
Sulphur (S) 17- 18% w/w
TE Fe, B, Mn, Zn, Cu>500ppm

Potassium (K) is necessary for formation of sugars, starches, carbohydrates, protein synthesis and cell division in roots and other parts of the plant. It helps to adjust water balance, improves stem rigidity and cold hardiness, enhances flavor and color on fruit and vegetable crops, increases the oil content of fruits and is important for leafy crops. Deficiencies result in low yields, mottled, spotted or curled leaves, scorched or burned look to leaves.

Soil / Ground Application:

Apply 5 - 25kg per ha after grazing and leave the field for 2-3 weeks.

Foliar Application

Apply 3-5kg per ha after grazing and leave the field for 2-3 weeks.

Mixing Ratio (1 to 20) : 1 part of K Sul mix with 20 parts of water.

Aerial Application:

Ratio 1:4: Apply in Spring or Autumn, in cool weather.

Compatibility: May be tank mixed with most commonly used agrochemicals. Do jar test first.

Withholding Period: 5 days.

Storage: Keep out of reach of children and store in dry area.

Mixing Instructions

1. Put 1/3 of water in tank.
2. Add other chemicals, if any.
3. Fill tank with balance of water.
4. Add correct amount of fertiliser.
5. Agitate adequately to mix.
6. All analysis w/w
7. Shake well before use.

Check compatibility with orthophosphate, high potash suspension , and chemical mixtures.

First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.



194 Bruntwood Rd, RD1. Cambridge.
P O Box 7071. Hamilton East. Hamilton.
0800 77 55 11 - Fax 0064 7 839 6365
www.mybsl.co.nz

Batch: cus300
DOM: Aug.13
Nett wt: 20L