

KEEP OUT REACH OF CHILDREN

# Neemtox

**Kills eggs, larvae and adult stages of insects and prevents fungal attack of plant tissues. Stops Powdery Mildew.**

**Typical Analysis (W/V), Neem (Azadirachtin) : 7-10%  
Other ingredients : to 100%**

## BENEFITS

- Environmentally safe
- Suppresses soil and root pathogens
- Prevents pests and diseases.
- Aids in root formation
- Stimulates plant enzymes and hormones
- Accelerates seed germination
- Improves soil fertility and soil microbial activity
- Chelates soil nutrients
- Promotes plant nutrient uptake
- Suppresses disease, heat stress and frost damage
- Promotes antioxidant activity

**Neemtox** is an effective choice for use on most plants to control any stage of insect – egg, larvae, and adults.

Clarified **Neemtox** is derived from the nut of the Azadirachtin Tree, controls blackspot, powdery mildew, rust, spider mites, aphids, whiteflies and other insect pests. Can be used up to the day of harvest.

**Fungicide Use:** For use on fruits, vegetables, herbs, spices, roses, flowers, houseplants, trees and shrubs. Controls various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, boytris, needle rust, scab and flower, twig and tip blight, and alternaria. As a preventative, apply on a 7 to 14 day schedule until disease development is no longer present. To control disease already present, apply this product on a 7 day schedule until disease pressure is eliminated. Continue spraying on a 14 day schedule to prevent disease from reoccurring.

**Insecticide/Miticide Use:** Apply this product at first sign of insects/mites. For control of aphids, spider mites, scale, whitefly, beetles, leafrollers and other insect pests. This product is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

### Application Rate:

1. Precautionary Treatment: 150mls mix with 100L of water. Or 1.5mls/L
2. Infestation just noticed: 350mls mix with 100L of water. Or 3.5 mls/L
3. Serious problem: 500mls mix with 100L of water. Or 5mls/L

**Withholding Period:** 3 Days

**Bee Hazard:** This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

**Warning:** Avoid skin and eye contact

**Conditions:** Store in a cool, dry place.

**Environment:** Outdoors, Crops, Orchards & Vineyards, Nursery, Greenhouse, Grow Room, Hydroponics, Aquaponics, Interiorscapes, Container Plants, Houseplants



Group Limited

BSL  
194 Bruntwood Rd, RD1,  
Cambridge - 0800 77 55 11  
P O Box 7071  
Hamilton East, Hamilton.  
[www.mybsl.co.nz](http://www.mybsl.co.nz)

Batch No: 20LSTD

Net Contents:

Date Of Mfg: Mar 2015