

KEEP OUT OF REACH OF CHILDREN

OliveMix

Liquid
Fertiliser

10%N - 2%P - 4%K - S1% - Mg0.7%- Ca1% - TE <500 PPM (Cu,B,Fe,Zn, Mn,)
Humic Acid 2000) mixed with seaweed and wetting agent

Application Rates

SOIL APPLICATION: Apply 20 liter per hectare with sufficient water (100 liters of water) to cover per 1 hectare. Broadcast directly onto soil at pre- planting. For best results incorporate into the top 1-2 inches. Plantation crops use 5 liters per hectare. Apply in Spring or Autumn, in cool weather.

Foliar Spray:

Depending on the nature of the crop, soil, pH, rain, temperature and humidity.

Mix ratio: 1-2L /100 liter (Minimum) of water. Apply in Spring or Autumn, in cool weather.

Aerial Application: Ratio 1-1(12.5L per hectare mix with 12.5L of water). Apply in Spring or Autumn, in cool weather.

Common Recommendation to all crops: After normal fertilization apply 1000 ml as basal application. Mix it with 80 to 100 liters of water and apply directly to soil concentrating around root zone.

Compatibility: May be tank mixed with most commonly used agrochemicals.

Withholding Period: 5 days.

Storage: Keep from freezing.

Mixing Procedures

- A. Add ¼ to ½ of the liquid amount of water to the tank mix.
- B. Start agitator before adding any tank mix partners. In general, tank mix partners should be added in the following order:
 1. Wettable granules (dry flowables)
 2. Liquid formulations.
 3. Emulsifiable concentrates ...and,
 4. Add mineral oil as the last ingredient.
- C. Provide sufficient agitation while adding the remainder of the water.
- D. Maintain agitation until all the mixture has been applied

NOTE: Certain chemicals (such as fungicide) are packaged in water soluble packages which are not oil soluble. We recommend these products be mixed in a clean bucket of water before adding to the spray tank water. Add the oil to the spray tank as the last ingredient.



Limited Warranty

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable any injury or damage caused by this product due to misuse, mishandling, or any application not specifically described on the label.

Caution

May be harmful if swallowed. Avoid contact with eyes and mucous membrane. If swallowed give several glasses of water and call a physician immediately. If splashed in eyes, flush with plenty of cold water for at least 15 minutes. If irritation persists obtain medical attention.



Formulated By: BSL
194 Bruntwood Rd, RD1. Cambridge.
P O Box 7071, Hamilton East. Hamilton.
0800 77 55 11 - Fax 0064 7 839 6365
www.mybsl.co.nz

Distributor