

KEEP OUT OF REACH OF CHILDREN



PhosTack

Liquid Fertiliser

0 - P11 - K16 +TE Na, Zn, B - 300 - 500 ppm
Phosphate derived from phosphoric acid minimum 110gm/L

A SYSTEMIC ACTION LIQUID FERTILISER SUITABLE FOR VEGETABLES, FRUITS, ORNAMENTALS, PIPFRUIT, KIWIFRUIT, GRAPES, CITRUS, BERRYFRUITS, NURSERY STOCK AND TURF

Promotes cell division, roots formation and photosynthesis. Activates enzymes and increases disease resistance

BENEFITS

- Involved in photosynthesis, respiration, energy storage and transfer, cell division, and enlargement
- Increases disease resistance
- Promotes early root formation and growth
- Vital to seed formation
- Helps plants survive harsh winter conditions
- Carbohydrate metabolism and the break down and translocation of starches
- Increases photosynthesis
- Essential to protein synthesis
- Important in fruit formation
- Activates enzymes and controls their reaction rates
- Improves quality of seeds and fruit

Soil Application: (pre planting / soil application for established plants) 20 - 50L / ha (minimum mixing ratio 1:5, water can be used more than that)

Foliar Application: (established crop) 500ml/100 Litres of water - water can be used more than that.

Young Crops: 100ml/100 Liters of water. water can be used more than that.

Compatibility: May be tank mixed with most commonly used agrochemicals. Do jar test first.

Withholding Period:

10-20L/ha: 5 days/5mm rain

1L / 100L of water : 2 day

Storage: Keep from freezing.

Formulated By: BSL
194 Bruntwood Rd, RD1
Cambridge
0800 77 55 11
P O Box 7071 Hamilton East
Hamilton.
www.mybsl.co.nz



Group Limited

Mixing Instructions as Foliar Fertilizer.

1. Put 1/3 of water in tank.
2. Add other chemicals, if any.
3. Fill tank with balance of water.
4. Add correct amount of fertiliser.
5. Agitate adequately to mix.
6. All analysis w/w.
7. Shake well before use.

Check compatibility with orthophosphate, high potash suspension, and chemical mixtures.