


Keep Out Of reach Of Children

SOIL CONDITIONER 5



BENEFITS

- Stimulates plant enzymes
- Increases root respiration & formation
- Increases germination and viability of seed.
- Stimulates root growth, especially lengthwise
- Promotes the conversion of a number of elements into forms available to plants
- Improves soil workability
- Increases aeration of soil
- Increases water holding capacity
- Retains water soluble inorganic fertil-

Typical Analysis:

W/V (Dry Basis / Liquid Basis)

Organic Matter: 8 - 9%

Inorganic Matter: 6 - 6.5%

Total Nitrogen (N): 0.15 - 0.25%

Available Phosphate (P2O5): 0.01 - 0.02%

Soluble Potassium (K2O): 2.0 - 2.5%

Magnesium (Mg): 0.1 - 0.15

Sulfur (S): 0.2 - 0.3%

Calcium (Ca): 0.2 - 0.25%

Chlorine (Cl): 0.5 - 0.6%

Iodine (I): 90 - 95 ppm

Iron: (Fe): 200 - 250 ppm

Copper (Cu): 5 - 6 ppm

Zinc (Zn): 2 - 3 ppm

Boron (B): 12 - 20 ppm

Manganese (Mn): 2 - 3 ppm

DIRECTIONS

(Shake Well Before Using)

May be applied to soils in irrigation or sprinkler systems, or applied as a foliar spray.

FOLIAR SPRAY: Apply 2-9 liters/HA 450 to 900 liters in sufficient water. Stir or shake before using, add to tank when half full. For best absorption into plant, apply this product early morning or late evening

USE 50 MESH SCREENS: Check compatibility with pesticides or liquid fertilizer before full scale tank mix.

SOIL APPLICATION: By itself use 5 to 25 ltr per hectare in ground application equipment or sprinkler irrigation runs. May be used in direct seeded crops. It may also be used in combination with starter or pop up fertilizers, 5 to 7.5 ltr per hectare .

PESTICIDE COMPATIBILITY: compatible with most insecticides, herbicides, miticides, fungicides and foliar fertilizers.

It may be incorporated into existing spray programs. Add "soil conditioner 10" to the water prior to the pesticides. Perform jar compatibility test prior to full scaled tank mixing when using previously untried combination.

Aerial Application: (1:15) Apply 1 Litre with 15 Litres of water per hectare as booster application.

Soil treatment (Aerial) 1:1 (10L to 10L of Water per Hectare).

Caution

May be harmful if swallowed. Avoid contact with eyes and mucous membrane. If swallowed give several glasses of water and call a physician immediately.

If splashed in eyes, flush with plenty of cold water for at least 15 minutes. If irritation persists obtain medical attention.

Limited Warranty

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable any injury or damage caused by this product due to misuse, mishandling, or any application not specifically described on the label.



Formulated By:
BSL . 194 Bruntwood Rd, RD1. Cambridge
0800 77 55 11
P O Box 7071 Hamilton East.
Hamilton.
www.mybsl.co.nz

Distributor