

KEEP OUT OF REACH OF CHILDREN

Sulfix

READ THE LABEL CAREFULLY BEFORE USE

Elemental Sulphur 60 – 70% w/v

BENEFITS

- Makes up Sulphur deficiency in the plants.
- Prevents the control of powdery mildew on grapes, tamarillos, peas, and vegetables
- Prevents rust in peaches, plums and nectarines and powdery mildew and rust in roses and ornamentals

MIXING: Pour the required amount into the partly filled spray tank with agitation running, complete filling of spray tank. Always shake the container before use.

RECOMMENDATIONS: The dilution rates suggested are for high volume spraying to run-off and are expressed as mls/100 litres of water. For concentrate spraying adjust dilution rate accordingly. Use the higher rate when conditions favour disease.

| CROP | DISEASE | RATE / HA | REMARKS |
|--------------------------------|--------------------------------|--------------|--|
| Grapes | Powdery Mildew Erinose Mite | 165 – 330 ml | Apply at 10-14 day intervals from bud swell To six weeks before harvest |
| Peaches Plums Nectarines | Rust | 110 – 220 ml | Apply at 3-weekly intervals from fruit set until harvest. Do not apply to Apricots or mature Nectarines. |
| Apples | Powdery Mildew | 110 – 220 ml | Apply from bud movement until harvest. NOTE: (1) Do not mix with Captan on Sulphur sensitive varieties such as Cox's Orange Pippin, Kidd's Orange or Red Delicious (2) It is not advisable to use Super Six post blossom unless one spray has been used pre-blossom. (3) Fruit finish may be affected on some varieties. (4) Do not use above 25OC (5) Do not use on Pears |
| Tamarillos | Powdery Mildew | 110 – 220 ml | Apply at 10 – 14 day intervals throughout the season |
| Peas | Powdery Mildew | 110 – 220 m | Apply when conditions favour disease and repeat as necessary. |
| Vegetables | Powdery Mildew | 110 – 220 m | Apply on a 14 day intervals as required. Do not apply to Rock Melons or Cucumbers |
| Roses and Ornamentals | Powdery Mildew | 220 – 330 ml | Apply on a 14 day schedule. Do not mix with maldison. |

COMPATIBILITY: Do not combine with oils or use within 21 days of an oil spray. Super Six can be applied with liquid fertilisers but caution should be exercised if mixing with previously untried emulsifiable concentrates.

WITHHOLDING PERIOD: Nil - all crops.



Formulated and Marketed By: BSL Group Ltd
0800 77 55 11 - Fax 0064 7 839 6365
Phone Int: 0064 7 839 6363 - 0064 7 827 7475
Site: 194 Bruntwood Rd. Cambridge. New Zealand
P O Box 7071. Hamilton East. Hamilton. New Zealand
www.mybsl.co.nz

DOM
Batch No
Net Weight

20L

200L